

Upgrade kit - From MIX10 to MIX25

We are pleased to introduce our new Upgrade kits – which makes it possible to expand the capacity of a MIX10 unit by upgrading it into a MIX25 unit.

The kit consists of the following items:

- Dosing pump D8RE
- 1 ½" ball valve with actuator and solenoid valve incl. fittings
- Hose connections
- Hose
- Various fittings and PVC pipes

Should you be interested in ordering one of our upgrade kits please use the following item nos.:

Item nos:

110007385	MIX10 to MIX25 0.2-2% VF
110007387	MIX10 to MIX25 0.2-2% AF
110007388	MIX10 to MIX25 1-5% VF-
110007389	MIX10 to MIX25 1-5% AF

Kit for Pressure/flow start/stop for MIX10 or MIX25

Furthermore, we are introducing a kit for pressure/flow start/stop of MIX10 or MIX25

In some cases, with leaking pipes or air in the pipelines, you might experience problems getting the pump to stop.

Using this new kit will solve this issue, as the pump now starts by means of a pressure sensitive switch and stops on no flow.

This kit consists of the following items:

- Flow switch
- Plug/cable for flow switch
- Pressure sensitive switch
- Plug/cable for pressure sensitive switch
- Multi sealing M20, 2xø4mm

- M20 connector

Should you be interested in ordering the above kit please use the following item no: **110007736**

New Foamatic Videos available online

Please go and view our latest uploaded Foamatic service videos [on Youtube](#) or www.nilfiskfood.com.

We have uploaded the following videos for you:

1. [How to service Hybrid Foamatic – removing the injector](#)
2. [How to service the block](#)
3. [How to service the injector and non-return valves](#)

Should you need any further information do not hesitate to contact us at info@nilfiskfood.com.



Nilfisk FOOD

Blytaekkervej 2
9000 Aalborg
Denmark

For further information:

Phone: +45 29 69 51 00
E-mail: info@nilfiskfood.com

Want to change how you receive these emails?

You can [update your preferences](#) or [unsubscribe from this list](#).

Copyright © 2017 Nilfisk Food, All rights reserved.